British Journal of Plastic Surgery (2000), **53**, 718–724
© 2000 The British Association of Plastic Surgeons

BRITISH JOURNAL OF PLASTIC SURGERY

Author Index

doi:10.1054/bjps.2000.3498

A

Ad-El, D.D., Meirovitz, A., Weinberg, A., Kogan, L., Arieli, D., Neuman, A. and Linton, D. Warfarin skin necrosis: local and systemic factors (case report), 624
Adelman, M., jt.author. *See* Greer, S.E.
Ahmed, O.A. and Kolhe, P.S. Comparison of nipple and areolar sensation after breast reduction by free nipple graft and inferior pedicle techniques, 126
Aiba, H., jt.author. *See* Sasaki, K.
Allan, R., jt.author. *See* Hettiaratchy, S.P.
Allan, R., jt.author. *See* O'Toole, G.A.
Amir, A., Solomon, A.S., Giler, S., Cordoba, M. and Hauben, D.J. The influence of helium-neon laser irradiation on the viability of skin flaps in the rat, 58
Anslow, P., jt.author. *See* Vadodaria, S.
Aral, E., jt.author. *See* Çetin, C.
Arieli, D., jt.author. *See* Ad-El, D.D.
Armstrong, A.P. and Jones, B.M. Patient satisfaction with Trilucent™ breast implants, 479
Arrowsmith, J., jt.author. *See* Edwards, R.B.
Ashoori, F., jt.author. *See* Suzuki S.
Asko-Seljavaara, S., jt.author. *See* Olsson, E.
Aung, S.C., Foo, C.L. and Lee, S.T. Three dimensional laser scan assessment of the Oriental nose with a new classification of Oriental nasal types, 109
Austin, A. Adverse incident reporting to the Medical Devices Agency—a review of reports involving Trilucent breast implants, 313
Austin, O.M.B., jt.author. *See* Raurell, A.

B

Baba, N., jt.author. *See* Itoh, M.
Babu, N.D., jt.author. *See* Jagannathan, M.
Baik, B.S., jt.author. *See* Cho, B.C.
Bailie, F.B., jt.author. *See* Gamatsi, I.E.
Bajaj, S.P., jt.author. *See* Kohli, J.S.
Balan, K.K., jt.author. *See* Oliver, D.W.
Baliarsing, A., Lim, J., Lim, T.C. and Tan, W.T.L. The self-retaining nasal splint revisited (correspondence), 450
Baliarsing, A.S., jt.author. *See* Nayak, B.B.
Bantick, G., jt.author. *See* Boyce, D.E.
Banwell, P.E., jt.author. *See* Gillespie P.H.
Barker, T.M., jt.author. *See* D'Urso, P.S.
Batchelor, A.G., jt.author. *See* Platt, A.J.
Bayat, A., Kelly, E.J. and Dunn, K.W. Split skin grafting fixation for multiple small burn wound areas. A dual technique using tissue glue and staples (correspondence), 172
Bayramiçli, M., Jackson, I.T. and Herschman, B. Innervation of skin grafts over free muscle flaps, 130
Bayramiçli, M., jt.author. *See* Tezel, E.
Belcher, H.J.C.R., jt.author. *See* O'Brien, C.M.
Beresford, T. and Shibu, M.M. Unravelling a sticky problem (correspondence), 635
Berger, A.C., jt.author. *See* Kremer, M.
Bharathi, R.R., jt.author. *See* Sabapathy, S.R.
Bhatty, M.A., Turner, D.P.J. and Chamberlain, S.T. *Mycobacterium marinum* hand infection: case reports and review of literature, 161
Bifulco, G., jt.author. *See* Molea, G.
Birinci, H., jt.author. *See* Güneren, E.
Böhling, T., jt.author. *See* Olsson, E.
Boorman, J.G., jt.author. *See* Jeffery, S.L.A.
Bowers, P.W., jt.author. *See* Gudi, V.S.
Bown, K.J., jt.author. *See* Stewart, K.J.
Boyce, D.E., Bantick, G. and Murison, M.S.C. The use of ADCON-T/N glycosaminoglycan gel in the revision of tethered scars, 403
Brotherston, M., jt.author. *See* Godwin, Y.
Brown, A.P., Hill, C. and Khan, K. Outcome of reduction mammaplasty—a patient's perspective, 584
Buncke, H.J., jt.author. *See* Chen, S.-G.
Buncke, H.J., jt.author. *See* Kryger, Z.
Bunker, C., jt.author. *See* Jain, A.
Burge, T.S., jt.author. *See* McErlain, M.J.
Burrows, N.P., jt.author. *See* Oliver, D.W.
Byun, J.S., jt.author. *See* Cho, B.C.

C

Cadier, M.A.M., jt.author. *See* Choudhary, S.
Califano, L., jt.author. *See* Eposito, C.
Callaghan, C.G., jt.author. *See* Juma, A.
Caregnato, P., jt.author. *See* Raposio, E.
Carr, R., jt.author. *See* Kelly, M.B.H.
Carver, N., jt.author. *See* Wei, F.-C.
Cella, A., jt.author. *See* Raposio, E.
Çetin, C., Köse, A.A., Aral, E., Erçel, C., Tandogdu, O., Karabağli, Y. and Özyilmaz, M. The effects of saline and plasma on skin graft keratinocyte viability, 418
Chakrabarty, K.H., Kulkarni, A.A. and Liddington, M. Monodigital double cross finger flaps (correspondence), 266
Chamberlain, S.T., jt.author. *See* Bhatty, M.A.
Chana, J.S., Grover, R., Wilson, G.D., Hudson, D.A., Forders, M., Sanders, R. and Grobbelaar, A.O. An analysis of p16 tumour suppressor gene expression in acral lentiginous melanoma, 46
Chana, J.S., jt.author. *See* Tulley, P.
Chatrath, P., jt.author. *See* Oliver, D.W.
Chen, C.T., Lai, J.P., Chen, Y.R., Tung, T.C., Chen, Z.C. and Rohrich, R.J. Application of endoscope in zygomatic fracture repair, 100
Chen, H.-C., jt.author. *See* Demirkan, F.
Chen, H.-C., jt.author. *See* Wei, F.-C.
Chen, H.-H., jt.author. *See* Demirkan, F.
Chen, S.-G., Zhang, F., Komorowska-Timek, E., Lineaweaver, W.C. and Buncke, H.J. Free microvascular transfer of the acromiotrapezius osteomuscular flap in rats, 612
Chen, Y.R., jt.author. *See* Chen, C.T.
Chen, Z.C., jt.author. *See* Chen, C.T.
Cheng, C., jt.author. *See* Kryger, Z.
Cho, B.C., Lee, D.H., Park, J.W., Byun, J.S. and Baik, B.S. Second toe to index finger transfer, 324
Cho, R.-H., jt.author. *See* Itoh, M.
Choudhary, S., Cadier, M.A.M. and Cottrell, B.J. Local tissue reactions to oil-based breast implant bleed, 317
Chow, S.P., jt.author. *See* Lu, W.W.
Christie, J.L., jt.author. *See* Sterne, G.D.
Chu, G.M., jt.author. *See* To, E.W.H.
Chuang, D.C.C., jt.author. *See* Lutz, B.S.
Chumas, P.D., jt.author. *See* Senior, M.A.
Chung, S., Yoo, W.M., Park, Y.G., Shin, K.S. and Park, B.Y. Ultrasonic surgical aspiration with endoscopic confirmation for osmidrosis, 212
Clarke, T., jt.author. *See* Stone, C.A.
Coessens, B.-C., jt.author. *See* Hamdi, M.
Cogswell, L.K. and Goodacre, T.E.E. The management of nasoseptal perforation (review), 117
Cole, R.P. and Morris, A.D.P. MRI scan diagnosis of Trilucent breast implant rupture (case report), 251
Collis, N. and Sharpe, D.T. Breast reconstruction by tissue expansion. A retrospective technical review of 197 two-stage delayed reconstructions following mastectomy for malignant breast disease in 189 patients, 37
Colville, J. Towards the quantification of disfigurement (correspondence), 84

British Journal of Plastic Surgery (2000), **53**, 718–724
© 2000 The British Association of Plastic Surgeons

BRITISH JOURNAL OF PLASTIC SURGERY

Author Index

doi:10.1054/bjps.2000.3498

A

Ad-El, D.D., Meirovitz, A., Weinberg, A., Kogan, L., Arieli, D., Neuman, A. and Linton, D. Warfarin skin necrosis: local and systemic factors (case report), 624
Adelman, M., jt.author. *See* Greer, S.E.
Ahmed, O.A. and Kolhe, P.S. Comparison of nipple and areolar sensation after breast reduction by free nipple graft and inferior pedicle techniques, 126
Aiba, H., jt.author. *See* Sasaki, K.
Allan, R., jt.author. *See* Hettiaratchy, S.P.
Allan, R., jt.author. *See* O'Toole, G.A.
Amir, A., Solomon, A.S., Giler, S., Cordoba, M. and Hauben, D.J. The influence of helium-neon laser irradiation on the viability of skin flaps in the rat, 58
Anslow, P., jt.author. *See* Vadodaria, S.
Aral, E., jt.author. *See* Çetin, C.
Arieli, D., jt.author. *See* Ad-El, D.D.
Armstrong, A.P. and Jones, B.M. Patient satisfaction with Trilucent™ breast implants, 479
Arrowsmith, J., jt.author. *See* Edwards, R.B.
Ashoori, F., jt.author. *See* Suzuki S.
Asko-Seljavaara, S., jt.author. *See* Olsson, E.
Aung, S.C., Foo, C.L. and Lee, S.T. Three dimensional laser scan assessment of the Oriental nose with a new classification of Oriental nasal types, 109
Austin, A. Adverse incident reporting to the Medical Devices Agency—a review of reports involving Trilucent breast implants, 313
Austin, O.M.B., jt.author. *See* Raurell, A.

B

Baba, N., jt.author. *See* Itoh, M.
Babu, N.D., jt.author. *See* Jagannathan, M.
Baik, B.S., jt.author. *See* Cho, B.C.
Bailie, F.B., jt.author. *See* Gamatsi, I.E.
Bajaj, S.P., jt.author. *See* Kohli, J.S.
Balan, K.K., jt.author. *See* Oliver, D.W.
Baliarsing, A., Lim, J., Lim, T.C. and Tan, W.T.L. The self-retaining nasal splint revisited (correspondence), 450
Baliarsing, A.S., jt.author. *See* Nayak, B.B.
Bantick, G., jt.author. *See* Boyce, D.E.
Banwell, P.E., jt.author. *See* Gillespie P.H.
Barker, T.M., jt.author. *See* D'Urso, P.S.
Batchelor, A.G., jt.author. *See* Platt, A.J.
Bayat, A., Kelly, E.J. and Dunn, K.W. Split skin grafting fixation for multiple small burn wound areas. A dual technique using tissue glue and staples (correspondence), 172
Bayramiçli, M., Jackson, I.T. and Herschman, B. Innervation of skin grafts over free muscle flaps, 130
Bayramiçli, M., jt.author. *See* Tezel, E.
Belcher, H.J.C.R., jt.author. *See* O'Brien, C.M.
Beresford, T. and Shibu, M.M. Unravelling a sticky problem (correspondence), 635
Berger, A.C., jt.author. *See* Kremer, M.
Bharathi, R.R., jt.author. *See* Sabapathy, S.R.
Bhatty, M.A., Turner, D.P.J. and Chamberlain, S.T. *Mycobacterium marinum* hand infection: case reports and review of literature, 161
Bifulco, G., jt.author. *See* Molea, G.
Birinci, H., jt.author. *See* Güneren, E.
Böhling, T., jt.author. *See* Olsson, E.
Boorman, J.G., jt.author. *See* Jeffery, S.L.A.
Bowers, P.W., jt.author. *See* Gudi, V.S.
Bown, K.J., jt.author. *See* Stewart, K.J.
Boyce, D.E., Bantick, G. and Murison, M.S.C. The use of ADCON-T/N glycosaminoglycan gel in the revision of tethered scars, 403
Brotherston, M., jt.author. *See* Godwin, Y.
Brown, A.P., Hill, C. and Khan, K. Outcome of reduction mammaplasty—a patient's perspective, 584
Buncke, H.J., jt.author. *See* Chen, S.-G.
Buncke, H.J., jt.author. *See* Kryger, Z.
Bunker, C., jt.author. *See* Jain, A.
Burge, T.S., jt.author. *See* McErlain, M.J.
Burrows, N.P., jt.author. *See* Oliver, D.W.
Byun, J.S., jt.author. *See* Cho, B.C.

C

Cadier, M.A.M., jt.author. *See* Choudhary, S.
Califano, L., jt.author. *See* Eposito, C.
Callaghan, C.G., jt.author. *See* Juma, A.
Caregnato, P., jt.author. *See* Raposio, E.
Carr, R., jt.author. *See* Kelly, M.B.H.
Carver, N., jt.author. *See* Wei, F.-C.
Cella, A., jt.author. *See* Raposio, E.
Çetin, C., Köse, A.A., Aral, E., Erçel, C., Tandogdu, O., Karabağli, Y. and Özyilmaz, M. The effects of saline and plasma on skin graft keratinocyte viability, 418
Chakrabarty, K.H., Kulkarni, A.A. and Liddington, M. Monodigital double cross finger flaps (correspondence), 266
Chamberlain, S.T., jt.author. *See* Bhatty, M.A.
Chana, J.S., Grover, R., Wilson, G.D., Hudson, D.A., Forders, M., Sanders, R. and Grobbelaar, A.O. An analysis of p16 tumour suppressor gene expression in acral lentiginous melanoma, 46
Chana, J.S., jt.author. *See* Tulley, P.
Chatrath, P., jt.author. *See* Oliver, D.W.
Chen, C.T., Lai, J.P., Chen, Y.R., Tung, T.C., Chen, Z.C. and Rohrich, R.J. Application of endoscope in zygomatic fracture repair, 100
Chen, H.-C., jt.author. *See* Demirkan, F.
Chen, H.-C., jt.author. *See* Wei, F.-C.
Chen, H.-H., jt.author. *See* Demirkan, F.
Chen, S.-G., Zhang, F., Komorowska-Timek, E., Lineaweaver, W.C. and Buncke, H.J. Free microvascular transfer of the acromiotrapezius osteomuscular flap in rats, 612
Chen, Y.R., jt.author. *See* Chen, C.T.
Chen, Z.C., jt.author. *See* Chen, C.T.
Cheng, C., jt.author. *See* Kryger, Z.
Cho, B.C., Lee, D.H., Park, J.W., Byun, J.S. and Baik, B.S. Second toe to index finger transfer, 324
Cho, R.-H., jt.author. *See* Itoh, M.
Choudhary, S., Cadier, M.A.M. and Cottrell, B.J. Local tissue reactions to oil-based breast implant bleed, 317
Chow, S.P., jt.author. *See* Lu, W.W.
Christie, J.L., jt.author. *See* Sterne, G.D.
Chu, G.M., jt.author. *See* To, E.W.H.
Chuang, D.C.C., jt.author. *See* Lutz, B.S.
Chumas, P.D., jt.author. *See* Senior, M.A.
Chung, S., Yoo, W.M., Park, Y.G., Shin, K.S. and Park, B.Y. Ultrasonic surgical aspiration with endoscopic confirmation for osmidrosis, 212
Clarke, T., jt.author. *See* Stone, C.A.
Coessens, B.-C., jt.author. *See* Hamdi, M.
Cogswell, L.K. and Goodacre, T.E.E. The management of nasoseptal perforation (review), 117
Cole, R.P. and Morris, A.D.P. MRI scan diagnosis of Trilucent breast implant rupture (case report), 251
Collis, N. and Sharpe, D.T. Breast reconstruction by tissue expansion. A retrospective technical review of 197 two-stage delayed reconstructions following mastectomy for malignant breast disease in 189 patients, 37
Colville, J. Towards the quantification of disfigurement (correspondence), 84

Colville, R.J.I., Laing, J.H.E. and Murison, M.S.C. Coding plastic surgery operations: an audit of performance using OPCS-4, 420
Colville, R.J.I., Ramsden, A., Malcolm, A. and McLean, N.R. Angiosarcoma of the breast after quadranectomy and postoperative radiotherapy for carcinoma (case report), 622
Cook, M.G., jt.author. *See* Hettiaratchy, S.P.
Cordoba, M., jt.author. *See* Amir, A.
Cormack, G.C., jt.author. *See* Hurren, J.S.
Cottrell, B.J., jt.author. *See* Choudhary, S.
Crowe, D.M., jt.author. *See* Tanaka, Y.
Curtin, P., jt.author. *See* Lim, J.K.

D

D'Angelo, D., jt.author. *See* Molea, G.
D'Armiento, M., jt.author. *See* Eposito, C.
Davalbhakta, A. and Hall, P.N. The impact of antenatal diagnosis on the effectiveness and timing of counselling for cleft lip and palate, 298
Davalbhakta, A. and Lamberty, B.G.H. Technique for uniform reduction of macroglossia, 294
David, D.J. and Menard, R.M. Occipital plagiocephaly, 367
De Monaco, D., jt.author. *See* Fritsche, E.
DeMey, A., jt.author. *See* Vandeweyer, E.
Demirkan, F., Chen, H.-C., Wei, F.-C., Chen, H.-H., Jung, S-G., Hau, S.-P. and Liao, C.-T. The versatile anterolateral thigh flap: a musculocutaneous flap in disguise in head and neck reconstruction, 30
Deutinger, M., jt.author. *See* Nehrer-Tairych, G.V.
Devaraj, V.S., jt.author. *See* Stone, C.A.
Dhital, S.K., jt.author. *See* Hannah, H.
Dive, D.C., jt.author. *See* Jeffery, S.L.A.
Dogan, T., jt.author. *See* Kryger, Z.
Drinkuth, S., jt.author. *See* Fritsche, E.
Dunn, K.W., jt.author. *See* Bayat, A.
Durmus, C., jt.author. *See* Heitmann, C.
D'Urso, P.S., Earwaker, W.J., Barker, T.M., Redmond, M.J., Thompson, R.G., Effeney, D.J. and Tomlinson, F.H. Custom cranioplasty using stereolithography and acrylic, 200

E

Earwaker, W.J., jt.author. *See* D'Urso, P.S.
Edwards, R.B., Jaffe, W., Arrowsmith, J. and Henderson, H.P. Calciphylaxis: a rare limb and life threatening cause of ischaemic skin necrosis and ulceration (case report), 253
Effeney, D.J., jt.author. *See* D'Urso, P.S.
Erçel, c., jt.author. *See* Çetin, C.
Eroğlu, L., Güneren, E., Keskin, M., Uysal, O.A. and Tomak, Y. The extended V-Y flap for coverage of a mid-plantar defect (case report), 708
Eroğlu, L., jt.author. *See* Güneren, E.
Esposito, C., Califano, L., D'Armiento, M. and Longo, F. Lipomatosis of the parotid gland in a child (case report), 699
Evans, D.M. The staggered ellipse (point of technique), 240

F

Falder, S., jt.author. *See* Hannah, H.
Feinendegen, D.L., Langer, M. and Gault, D. A combined V-Y advancement—turnover flap for simultaneous perialar and alar reconstruction, 2488
Felmerer, G., jt.author. *See* Heitmann, C.
Ferguson, M.W.J., jt.author. *See* Richard, B.M.
Fitzgerald, A.M., Gaston, P., Wilson, Y., Quaba, A. and McQueen, M.M. Long-term sequelae of fasciotomy wounds, 690
Foo, C.L., jt.author. *See* Aung, S.C.
Forders, M., jt.author. *See* Chana, J.S.
Frame, J.D., jt.author. *See* MacKenzie, D.
Frame, J.D., jt.author. *See* Mohanna, P.-N.
Frangia, K.B., jt.author. *See* Lykoudis, E.G.
Frey, M., jt.author. *See* Nehrer-Tairych, G.V.
Fritsche, E., De Monaco, D., Drinkuth, S. and Wartburg, U. von. Simultaneous avulsion fracture of the insertion of the ulnar and radial collateral ligaments of the metacarpophalangeal joint of the thumb (case report), 168
Fukumoto, S., jt.author. *See* Itoh, M.
Furukawa, K., jt.author. *See* Itoh, M.
Furuta, S., Hayashi, M. and Shinohara, H. Nasal reconstruction with an expanded dual forehead flap (case report), 261
Futter, C.M., Webster, M.H.C., Hagen, S. and Mitchell, S.L. A retrospective comparison of abdominal muscle strength following breast reconstruction with a free TRAM or DIEP flap, 578

G

Galiano, R.D., jt.author. *See* Greer, S.E.
Gamatsi, I.E., McCulloch, T.A., Bailie, F.B. and Srinivasan, J.R. Malignant melanoma in a skin graft: burn scar neoplasm or a transferred melanoma? (case report), 342
Garrido, A., Humphrey, G., Squire, R.S. and Nishikawa, H. Sialoblastoma (case report), 697
Gaston, P., jt.author. *See* Fitzgerald, A.M.
Gault, D., jt.author. *See* Feinendegen, D.L.
Gault, D., jt.author. *See* Kang, N.
Gault, D.T., jt.author. *See* Horlock, N.
Geary, P.M., jt.author. *See* Güneren, E.
Ghandour, M., Street, L. and Papini, R.P.G. The use of 'retention dressings' on partial thickness wounds (correspondence), 83
Giler, S., jt.author. *See* Amir, A.
Gillespie, P.H., Banwell, P.E., Hormbrey, E.L., Inglefield, C.J. and Roberts, A.H.N. A new model for assessment in plastic surgery: knowledge of relaxed skin tension lines, 243
Godwin, Y. Do they listen? A review of information retained by patients following consent for reduction mammoplasty, 121
Godwin, Y. The farmer's wife and the salmon fork: a near miss for the median nerve (case report), 352
Godwin, Y. and Brotherston, M. Hyperpigmentation following the use of Emla cream (correspondence), 711
Goodacre, T.E.E., jt.author. *See* Cogswell, L.K.
Goodacre, T.E.E., jt.author. *See* Vadodaria, S.
Gorst, C.M., jt.author. *See* Munnoch, D.A.
Govilkar, P., jt.author. *See* Niranjan, N.S.
Greer, S.E., Adelman, M., Kasabian, A., Galiano, R.D., Scott, R. and Longaker, M.T. The use of subatmospheric pressure dressing therapy to close lymphocutaneous fistulas of the groin, 484
Griffiths, R.W., jt.author. *See* Stephenson, A.J.
Grobbelaar, A.O., jt.author. *See* Chana, J.S.
Grobbelaar, A.O., jt.author. *See* Horlock, N.
Grobbelaar, A.O., jt.author. *See* Soldin, M.G.
Grobbelaar, A.O., jt.author. *See* Tulley, P.
Groenevelt, F., jt.author. *See* Straalen, W.R. van
Grover, R., jt.author. *See* Chana, J.S.
Grover, R., jt.author. *See* Jones, M.E.
Gualdi, A., jt.author. *See* Raposio, E.
Gudi, V.S., Julian, C. and Bowers, P.W. Pyoderma gangrenosum complicating bilateral mammaplasty (case report), 440
Güneren, E., Birinci, H., Uysal, O.A., Eroğlu, L. and Geary, P.M. Facial impaling on a scythe (correspondence), 267
Güneren, E., jt.author. *See* Eroğlu, L.

H

Haddadin, K.J., Soutar, D.S., Webster, M.H.C., Robertson, A.G., Oliver, R.J. and MacDonald, D.G. Natural history and patterns of recurrence of tongue tumours, 279
Haertsch, P., jt.author. *See* Hunt, J.A.
Hage, J.J. and Karim, R.B. Johann Friedrich Dieffenbach: successful use of leeches in plastic surgery in the 1820s (correspondence), 632
Hage, J.J., jt.author. *See* Kanhai, R.C.J.
Hage, J.J., jt.author. *See* Vossen, M.
Hagen, S., jt.author. *See* Futter, C.M.
Hall, P.N., jt.author. *See* Davalbhakta, A.
Hall, P.N., jt.author. *See* Oliver, D.W.
Hall, P.N., jt.author. *See* Patel, I.A.

Hall, P.N., jt.author. *See* Potokar, T.S.
Hamdi, M. and Coessens, B.-C. Evaluation of the donor site morbidity after lateral arm flap with skin paddle extending over the elbow joint, 215
Hancock, K., jt.author. *See* Munnoch, D.A.
Hannah, H., Falder, S., Steele, P.R.M. and Dhital, S.K. Tattoo pigment masquerading as secondary malignant melanoma (correspondence), 359
Harrison, D.H., jt.author. *See* Tulley, P.
Hasselt, A. van, jt.author. *See* Tsang, R.K.Y.
Hata, Y. The real history of end-to-side neurorrhaphy (correspondence), 633
Hau, S.-P., jt.author. *See* Demirkan, F.
Hauben, D.J., jt.author. *See* Amir, A.
Hayashi, M., jt.author. *See* Furuta, S.
Hayter, J.P., jt.author. *See* Hollows, P.
Haywood, R.M., Monk, B.E. and Mahaffey, P.J. The treatment of early cutaneous capillary haemangiomata (strawberry naevi) with the tunable dye laser, 302
He, B., jt.author. *See* Wu, W.
Hearth, M., jt.author. *See* Pilkington, S.
Heitmann, C., Felmerer, G., Durmus, C., Matejic, B. and Ingianni, G. Anatomical features of perforator blood vessels in the deep inferior epigastric perforator flap, 205
Henderson, H.P., jt.author. *See* Edwards, R.B.
Henman, P.D. and Jain, A.S. Skin grafting an amputation stump: considerations for the choice of donor site (correspondence), 357
Heppell, S., jt.author. *See* O'Brien, C.M.
Herczeg, E., jt.author. *See* Schwabegger, A.H.
Herschman, B., jt.author. *See* Bayramiçli, M.
Hettiaratchy, S., jt.author. *See* O'Toole, G.A.
Hettiaratchy, S.P., Kang, N., O'Toole, G., Allan, R., Cook, M.G. and Powell, B.W.E.M. Sentinel lymph node biopsy in malignant melanoma: a series of 100 consecutive patients, 559
Hiew, L.Y. and Juma, A. A novel method of ring removal from a swollen finger (correspondence), 173
Hiew, L.Y., jt.author. *See* Juma, A.
Hill, C., jt.author. *See* Brown, A.P.
Hobby, J.A.E., jt.author. *See* Pilkington, S.
Hodges, A.M. and Hodges, S.C. A rural cleft project in Uganda, 7
Hodges, S.C., jt.author. *See* Hodges, A.M.
Hollows, P. and Hayter, J.P. Traumatic medial malleolar fracture of a fibula flap donor leg (case report), 166
Holmes, A.D., jt.author. *See* Lu, W.W.
Horlock, N., Grobbelaar, A.O. and Gault, D.T. Can the carbon dioxide laser completely ablate basal cell carcinomas?, 286
Horlock, N., jt.author. *See* Milroy, C.J.
Hormbrey, E.L., jt.author. *See* Gillespie P.H.
Hovius, S.E.R., jt.author. *See* Simis, K.J.
Hsu, J.-C., jt.author. *See* Lutz, B.S.
Hudson, D., jt.author. *See* Tulley, P.
Hudson, D.A., jt.author. *See* Chana, J.S.
Hudson, D.A., jt.author. *See* Skoll, P.A.
Hudson, D.A., jt.author. *See* Soldin, M.G.
Humphrey, G., jt.author. *See* Garrido, A.
Hunt, J.A., Moisidis, E. and Haertsch, P. Initial experience of Integra in the treatment of post-burn anterior cervical neck contracture, 652
Hurren, J. Plastic surgery in the new millennium (Kay Kilner Prize Essay 1999), 271
Hurren, J.S. and Cormack, G.C. The application of the rotation flap to the dorsum of the hand, 491
Hwang, K., Lee, D.K. and Lee, S.I. Nodular fasciitis presenting as a parotid tumour after face lifting (case report), 345

I

Ichioka, I., jt.author. *See* Yonehara, Y.
Iglesias, F., jt.author. *See* Nogueira, A.
Ikada, Y., jt.author. *See* Suzuki S.
Inagawa, K., jt.author. *See* Koshima, I.
Ingianni, G., jt.author. *See* Heitmann, C.
Inglefield, C.J., jt.author. *See* Gillespie P.H.
Ioannovich, J.D., jt.author. *See* Lykoudis, E.G.
Ip, W.Y., jt.author. *See* Lu, W.W.
Isono, N., jt.author. *See* Sasaki, K.
Itoh, M., Fukumoto, S., Baba, N., Cho, R.-H., Kuga, Y., Mizuno, A. and Furukawa, K. Enhancement of rat hypoglossal nerve regeneration by chitin sheet plus gangliosides, 607
Itoman, M., jt.author. *See* Yokoyama, K.

J

Jackson, I.T. and Yavuzer, R. Hydroxyapatite cement: an alternative for craniofacial skeletal contour refinements, 24
Jackson, I.T., jt.author. *See* Bayramiçli, M.
Jacob, M.M. Application of reduction mammaplasty in treatment of giant breast tumour (correspondence), 265
Jaffe, W., jt.author. *See* Edwards, R.B.
Jagannathan, M., Babu, N.D., Saple, A. and Nayak, B.B. Deadly perfection of nature—can we ever duplicate it? (correspondence), 176
Jagannathan, M., jt.author. *See* Nayak, B.B.
Jain, A., Nanchahal, J. and Bunker, C. Pyoderma gangrenosum occurring in a lower limb fasciocutaneous flap—a lesson to learn (case report), 437
Jain, A.S., jt.author. *See* Henman, P.D.
Jaramillo, M.J., Stewart, K.J. and Kolhe, P.S. Phenytoin induced rhinophyma treated by excision and full thickness skin grafting (case report), 521
Javaid, M. Future of plastic surgery in the UK and role of overseas doctors (correspondence), 265
Javaid, M. and Shibu, M. Surgical correction of gynaecomastia: a new approach (correspondence), 174
Jeffery, S.L.A. and Boorman, J.G. Left or right hand dominance in children with cleft lip and palate, 477
Jeffery, S.L.A., Boorman, J.G. and Dive, D.C. Use of cartilage grafts for closure of cleft palate fistulae, 551
Jeffery, S.L.A. and Lewis, J.S. Malignant melanoma and hormone replacement therapy (correspondence), 539
Jemec, B. and Sanders, R. A facial low-flow venous malformation treated with fibrin glue (case report), 73
Jing, W.M., jt.author. *See* Lu, W.W.
Jones, B.M., jt.author. *See* Armstrong, A.P.
Jones, M.E., Withey, S., Grover, R. and Smith, P.J. The use of photoplethysmograph to monitor the training of a cross-leg free flap prior to division (case report), 532
Julian, C., jt.author. *See* Gudi, V.S.
Juma, A., Hiew, L.Y. and Callaghan, C.G. A time saving lead template for hand splinting (correspondence), 450
Juma, A., jt.author. *See* Hiew, L.Y.
Jung, S.-G., jt.author. *See* Demirkan, F.

K

Kahveci, Z., jt.author. *See* Özgenel, G.Y.
Kamolz, L., jt.author. *See* Nehrer-Tairych, G.V.
Kang, N. and Gault, D. The real ring constriction syndrome (correspondence), 634
Kang, N., jt.author. *See* Hettiaratchy, S.P.
Kanhai, R.C.J., Hage, J.J. and Mulder, J.W. Long-term outcome of augmentation mammaplasty in male-to-female transsexuals: a questionnaire survey of 107 people, 209
Kaplan, H., jt.author. *See* Soldin, M.G.
Karabağli, Y., jt.author. *See* Çetin, C.
Karamürsel, S., Kayıkçıoğlu, A., Safak, T. and Keçik, A. End-to-side microvascular anastomosis using an external metal ring, 423
Karim, R.B., jt.author. *See* Hage, J.J.
Kasabian, A., jt.author. *See* Greer, S.E.
Kawai, K, jt.author. *See* Suzuki S.
Kayıkçıoğlu, A., jt.author. *See* Karamürsel, A.
Keçik, A., jt.author. *See* Karamürsel, A.
Kelly, C., jt.author. *See* Williams, N.W.
Kelly, E.J., jt.author. *See* Bayat, A.
Kelly, M.B.H., Waterhouse, N., Slade, D.E., Carr, R. and Peterson, D. A 5-year review of 71 consecutive anterior skull base tumours, 184
Keskin, M., jt.author. *See* Eroğlu, L.

Khan, K., jt.author. *See* Brown, A.P.
Khan, U. and Pickford, M. Use of an islanded fasciocutaneous flap in the lower limb following distraction callotasis (case report), 705
Khan, U., jt.author. *See* O'Brien, C.M.
Kingsnorth, A.N., jt.author. *See* Mehendale, F.V.
Kogan, L., jt.author. *See* Ad-El, D.D.
Kohli, J.S., Pande, S. and Bajaj, S.P. Large transverse fasciocutaneous leg flap: whole leg flap, 495
Kolhe, P.S., jt.author. *See* Ahmed, O.A.
Kolhe, P.S., jt.author. *See* Jaramillo, M.J.
Komorowska-Timek, E., jt.author. *See* Chen, S.-G.
Koot, J.M., jt.author. *See* Simis, K.J.
Köse, A.A., jt.author. *See* Çetin, C.
Koshima, I., Inagawa, K., Urushibara, K. and Moriguchi, T. Combined submental flap with toe web for reconstruction of the lip with oral commissure (case report), 616
Koshy, C.E., Lyons, B. and Morris, R.J. An unusual scalp swelling (correspondence), 80
Koshy, C.E., jt.author. *See* Meir, A.R.
Kremer, M., Lang, E. and Berger, A.C. Evaluation of dermal-epidermal skin equivalents ('composite-skin') of human keratinocytes in a collagen-glycosaminoglycan matrix (Integra™ Artificial Skin), 459
Kryger, Z., Zhang, F., Dogan, T., Cheng, C., Lineaweaver, W.C. and Buncke, H.J. The effects of VEGF on survival of a random flap in the rat: examination of various routes of administration, 234
Kuga, Y., jt.author. *See* Itoh, M.
Kulkarni, A.A., jt.author. *See* Chakrabarty, K.H.
Kumar, P., Orton, C.I., McWilliam, L.J. and Watson, S. Incidence of incomplete excision in surgically treated basal cell carcinoma: a retrospective clinical audit, 563
Kushima, H., jt.author. *See* Yuzuriha, S.

L

La Hausse Brown, T.P. Assessing female breast morphometry and clinical applications—reply (correspondence), 3588
La Hausse-Brown, T.P., jt.author. *See* Stephenson, A.J.
Lai, C.-S., jt.author. *See* Tsai, C.-C.
Lai, J.P., jt.author. *See* Chen, C.T.
Laing, J.H.E., jt.author. *See* Colville, R.J.I.
Lamberty, B.G.H., jt.author. *See* Davalbhakta, A.
Lamberty, B.G.H., jt.author. *See* Oliver, D.W.
Lang, E., jt.author. *See* Kremer, M.
Langer, M., jt.author. *See* Feinendegen, D.L.
Lassila, R., jt.author. *See* Olsson, E.
Lee, D.C., jt.author. *See* Wang, J.W.
Lee, D.H., jt.author. *See* Cho, B.C.
Lee, D.K., jt.author. *See* Hwang, K.
Lee, J.-W. Preplanned correction of enophthalmos using diced cartilage grafts, 17
Lee, J.-W., Yu, J.-C., Shieh, S.-J., Liu, C. and Pai, J.-J. Reconstruction of the Achilles tendon and overlying soft tissue using antero-lateral thigh free flap, 574
Lee, S.I., jt.author. *See* Hwang, K.
Lee, S.T., jt.author. *See* Aung, S.C.
Lewis, J.S., jt.author. *See* Jeffery, S.L.A.
Liao, C.-T., jt.author. *See* Demirkan, F.
Liddington, M., jt.author. *See* Chakrabarty, K.H.
Lim, J., jt.author. *See* Baliarsing, A.
Lim, J.K., Saliba, L., Smith, M.J., McTavish, J., Raine, C. and Curtin, P. Normal saline wound dressing - is it really normal?, 42
Lim, T.C., jt.author. *See* Baliarsing, A.
Lin, S.-D. Correction of the epicanthal fold using the VM-plasty, 95
Lin, S.-D., jt.author. *See* Tsai, C.-C.
Lin, T.-M., jt.author. *See* Tsai, C.-C.
Lineaweaver, W.C., jt.author. *See* Chen, S.-G.
Lineaweaver, W.C., jt.author. *See* Kryger, Z.
Linton, D., jt.author. *See* Ad-El, D.D.
Liu, C., jt.author. *See* Lee.J.-W.
Longaker, M.T., jt.author. *See* Greer, S.E.
Longo, F., jt.author. *See* Eposito, C.
Lu, W.W., Ip, W.Y., Jing, W.M., Holmes, A.D. and Chow, S.P. Biomechanical properties of thin skin flap after basic fibroblast growth factor (bFGF) administration, 225
Lutz, B.S., Chuang, D.C.C., Hsu, J.-C., Ma, S.-F. and Wei, F.C. Selection of donor nerves—an important factor in end-to-side neurorrhaphy, 149
Lykoudis, E.G., Tsoutsos, D.A., Papalois, A.E., Frangia, K.B., Stamatopoulos, C.N. and Ionnovich, J.D. Prefabrication of an axial bio-synthetic flap for circumferential tracheal defect reconstruction, 508
Lyons, B., jt.author. *See* Koshy, C.E.

M

Ma, S.-F., jt.author. *See* Lutz, B.S.
McCulloch, T.A., jt.author. *See* Gamatsi, I.E.
MacDonald, D.G., jt.author. *See* Haddadin, K.J.
McErlain, M.J., Burge, T.S. and Scerri, G.V. An objective outcome measure in reduction mammaplasty (correspondence), 539
McGregor, J.C. Incomplete excision of rodent ulcers—management decisions (correspondence), 452
MacKenzie, D., Moiemen, N. and Frame, J.D. Pyoderma gangrenosum following breast reconstruction (case report), 441
McLean, N.R., jt.author. *See* Colville, R.J.I.
McLean, N.R., jt.author. *See* Williams, N.W.
McQueen, M.M., jt.author. *See* Fitzgerald, A.M.
McTavish, J., jt.author. *See* Lim, J.K.
McWilliam, L.J., jt.author. *See* Kumar, P.
Madaree, A., jt.author. *See* Simango, S.
Mahaffey, P.J., jt.author. *See* Haywood, R.M.
Malcolm, A., jt.author. *See* Colville, R.J.I.
Martinez, M.J., jt.author. *See* Nogueira, A.
Matejic, B., jt.author. *See* Heitmann, C.
Matsumoto, S., jt.author. *See* Yonehara, Y.
Matsuo, K., jt.author. *See* Yuzuriha, S.
Matsuo, Y., jt.author. *See* Yano, K.
Mehendale, F.V., Taams, K.O. and Kingsnorth, A.N. Repair of a giant inguinoscrotal hernia (case report), 525
Mehendale, F.V., jt.author. *See* Sommerlad, B.C.
Meir, A.R. and Koshy, C.E. Placement of sutures in tendon repairs (correspondence), 172
Meirovitz, A., jt.author. *See* Ad-El, D.D.
Menard, R.M., jt.author. *See* David, D.J.
Milroy, C.J., Horlock, N., Wilson, G.D. and Sanders, R. Aggressive basal cell carcinoma in young patients: fact or fiction?, 393
Mishra, P., jt.author. *See* Thomas, C.
Mitchell, S.L., jt.author. *See* Futter, C.M.
Mizuno, A., jt.author. *See* Itoh, M.
Mohan, D., jt.author. *See* Sabapathy, S.R.
Mohanna, P.-N., Moiemen, N.S. and Frame, J.D. Turret exostosis of the thumb (case report), 629
Moiemen, N., jt.author. *See* MacKenzie, D.
Moiemen, N.S., jt.author. *See* Mohanna, P.-N.
Moisidis, E., jt.author. *See* Hunt, J.A.
Mok, J.S.W., jt.author. *See* Tsang, R.K.Y.
Molea, G., Schonauer, F., Bifulco, G. and D'Angelo, D. Comparative study on biocompatibility and absorption times of three absorbable monofilament suture materials (Polydioxanone, Polyglecaprone 25, Glycomer 631), 137
Monk, B.E., jt.author. *See* Haywood, R.M.
Moriguchi, T., jt.author. *See* Koshima, I.
Morimoto, N., . jt.author. *See* Suzuki S.
Morris, A.D.P., jt.author. *See* Cole, R.P.
Morris, R.J., jt.author. *See* Koshy, C.E.
Morrison, W.A., jt.author. *See* Tanaka, Y.
Moss, A.L.H., jt.author. *See* Rayatt, S.S.
Moss, A.L.H., jt.author. *See* Uppal, R.S.
Mulder, J.W., jt.author. *See* Kanhai, R.C.J.
Munnoch, D.A., Gorst, C.M. and Hancock, K. Post laser hyperpigmentation and occupational ultraviolet radiation exposure (case report), 259
Murison, M.S.C., jt.author. *See* Boyce, D.E.
Murison, M.S.C., jt.author. *See* Colville, R.J.I.

N

Nakamura, K., jt.author. *See* Yokoyama, K.
Nakatsuka, T., jt.author. *See* Yonehara, Y.
Nakazawa, H., jt.author. *See* Sakurai, H.
Nancarrow, J.D., jt.author. *See* Tucker, S.C.
Nanchahal, J., jt.author. *See* Jain, A.
Nayak, B.B., Thatte, R.L.,, Thatte, M.R., Baliarsing, A.S., Jagannathan, M. and Pandit, S.P. A microneurovascular study of the great saphenous vein in man and the possible implications for survival of venous flaps, 230
Nayak, B.B., jt.author. *See* Jagannathan, M.
Nehrer-Tairych, G.V., Rab, M., Kamolz, L., Deutinger, M., Stöhr, H.G. and Frey, M. The influence of the donor nerve on the function and morphology of a mimic muscle after cross innervation: an experimental study in rabbits, 669
Neuman, A., jt.author. *See* Ad-El, D.D.
Newell, R. Psychological difficulties amongst plastic surgery ex-patients following surgery to the face: a survey, 386
Niranjan, N.S., Price, R.D. and Govilkar, P. Fascial feeder and perforator-based V-Y advancement flaps in the reconstruction of lower limb defects, 679
Niranjan, N.S. and Vanstralen, P. Homodigital reverse pedicle island flap for reconstruction of the great toe, 499
Nishikawa, H., jt.author. *See* Garrido, A.
Nishikawa, H., jt.author. *See* Senior, M.A.
Nishimura, Y., jt.author. *See* Suzuki S.
Nogueira, A., Martinez, M.J. and Iglesias, F. Supernumerary muscle belly in ulnar artery forearm flap elevation (correspondence), 82
Nozaki, M., jt.author. *See* Sakurai, H.
Nozaki, M., jt.author. *See* Sasaki, K.
Numanoğlu, A., jt.author. *See* Tezel, E.

O

O'Brien, C.M., Heppell, S., Khan, U. and Belcher, H.J.C.R.The 'deadly perfection of nature' - duplicated continents apart! (correspondence), 451
Offer, G.J. and Perks, A.G.B. In search of evidence-based plastic surgery: the problems faced by the specialty, 427
Ohtsuka, H. Sprouting epidermoid cysts (case report), 534
Oliver, D.W., Balan, K.K., Burrows, N.P. and Hall, P.N. Dispersal of radioisotope labelled solution following deep dermal injection in Ehlers—Danlos syndrome, 308
Oliver, D.W., Walker, M.S., Walters, A.E., Chatrath, P. and Lamberty, B.G.H. Anti-silicone antibodies and silicone containing breast implants, 410
Oliver, D.W., jt.author. *See* Potokar, T.S.
Oliver, R.J., jt.author. *See* Haddadin, K.J.
Olsson, E., Sarlomo-Rikala, M., Böhling, T., Asko-Seljavaara, S. and Lassila, R. Immunohistochemical evaluation of failed vessel anastomoses in clinical microsurgery, 567
Orton, C.I., jt.author. *See* Kumar, P.
O'Toole, G. Suture technique for cartilage (correspondence), 632
O'Toole, G., jt.author. *See* Hettiaratchy, S.P.
O'Toole, G.A., Hettiaratchy, S., Allan, R. and Powell, B.W.E.M. Aberrant sentinel nodes in malignant melanoma, 415
Özcan, M., jt.author. *See* Özgenel, G.Y.
Özgenel, G.Y., Özcan, M. and Kahveci, Z. An experimental study of bilateral repositioning of the Stensen's duct orifices with autologous vein and artery grafts in dogs, 106
Özyilmaz, M., jt.author. *See* Çetin, C.

P

Page, R.E.., jt.author. *See* Vadodaria, S.
Pai, J.-J., jt.author. *See* Lee.J.-W.
Pande, S., jt.author. *See* Kohli, J.S.
Pandit, S.P., jt.author. *See* Nayak, B.B.
Pang, P.C.W., jt.author. *See* To, E.W.H.
Papalois, A.E., jt.author. *See* Lykoudis, E.G.
Papini, R.P.G., jt.author. *See* Ghandour, M.
Paranese, P., jt.author. *See* Raposio, E.
Park, B.Y., jt.author. *See* Chung, S.
Park, J.W., jt.author. *See* Cho, B.C.
Park, Y.G., jt.author. *See* Chung, S.
Patel, I.A. and Hall, P.N. A technique to avoid atrophy in a combined intralesional excision and steroid injection for keloids (correspondence), 174
Peled, I.J. Endoscopic assisted otoplasty: a preliminary report (correspondence), 541
Peled, I.J. Reconstruction of perianal skin defect using a V-Y advancement of bilateral gluteus maximus musculocutaneous flaps (correspondence), 542
Perks, A.G.B., jt.author. *See* Offer, G.J.
Peterson, D., jt.author. *See* Kelly, M.B.H.
Pickford, M., jt.author. *See* Khan, U.
Pigott, R.W. Speak ye comfortably (Sir Harold Gillies Memorial Lecture), 641
Pilkington, S., Hearth, M., Richards, A.M. and Hobby, J.A.E. Laurin—Sandrow syndrome - a surgical challenge (case report), 68
Piza, H., jt.author. *See* Schwabegger, A.H.
Platt, A.J., Robertson, A. and Batchelor, A.G. Successful free flap transfer and salvage in sickle cell trait (case report), 707
Poon, Y.S., jt.author. *See* Tsang, R.K.Y.
Potokar, T.S., Oliver, D.W., Ross Russell, R. amd Hall, P.N. Meningococcal septicaemia and plastic surgery—a strategy for management, 142
Powell, B.W.E.M., jt.author. *See* Hettiaratchy, S.P.
Powell, B.W.E.M, jt.author. *See* O'Toole, G.A.
Powell, R., jt.author. *See* Stone, C.A.
Price, R.D., jt.author. *See* Niranjan, N.S.

Q

Qiu, C.X., jt.author. *See* Richard, B.M.
Quaba, A., jt.author. *See* Fitzgerald, A.M.

R

Rab, M., jt.author. *See* Nehrer-Tairych, G.V.
Raine, C., jt.author. *See* Lim, J.K.
Ramakrishnan, V., jt.author. *See* Raurell, A.
Ramdial, P.K., jt.author. *See* Simango, S.
Ramsden, A., jt.author. *See* Colville, R.J.I.
Raposio, E., Cella, A., Paranese, P., Caregnato, P., Gualdi, A. and Santi, P.L. Quantitative benefits provided by acute tissue expansion: a biomechanical study in human cadavers, 220
Raurell, A., Austin, O.M.B. and Ramakrishnan, V. Free tissue transfer in patients with systemic lupus erythematosus (case report), 77
Rayatt, S.S. and Moss, A.L.H. Cutaneous leishmaniasis (case report), 443
Rayner, C. Informed consent (correspondence), 540
Rayner, C. Meningococcal septicaemia in plastic surgery—a strategy for management (correspondence), 540
Redmond, M.J., jt.author. *See* D'Urso, P.S.
Richard, B.M., Qiu, C.X. and Ferguson, M.W.J. Neonatal palatal cysts and their morphology in cleft lip and palate, 555
Richards, A.M., jt.author. *See* Pilkington, S.
Roberts, A.H.N., jt.author. *See* Gillespie P.H.
Robertson, A., jt.author. *See* Platt, A.J.
Robertson, A.G., jt.author. *See* Haddadin, K.J.
Rohrich, R.J., jt.author. *See* Chen, C.T.
Ross Russell, R., jt.author. *See* Potokar, T.S.

S

Sabapathy, S.R., Mohan, D. and Bharathi, R.R. 'Jumping' cross finger flaps: a useful technique for salvaging parts in mutilating hand injuries, 488
Safak, T., jt.author. *See* Karamürsel, A.
Saita, Y., jt.author. *See* Yokoyama, K.
Sakurai, H., Nozaki, M., Sasaki, K. and Nakazawa, H. The use of free jejunal autografts for the treatment of vaginal agenesis: surgical methods and long-term results, 319

Saliba, L., jt.author. *See* Lim, J.K.
Sanders, R., jt.author. *See* Chana, J.S.
Sanders, R., jt.author. *See* Jemec, B.
Sanders, R., jt.author. *See* Milroy, C.J.
Santi, P.L., jt.author. *See* Raposio, E.
Saple, A., jt.author. *See* Jagannathan, M.
Sarlomo-Rikala, M., jt.author. *See* Olsson, E.
Sasai, S., jt.author. *See* Suetake, T.
Sasaki, K., Nozaki, M., Aiba, H. and Isono, N. A rare variant of the radial artery: clinical considerations in raising a radial forearm flap (case report), 445
Sasaki, K., jt.author. *See* Sakurai, H.
Sav, A., jt.author. *See* Tezel, E.
Sawyer, R.T. Johann Friedrich Dieffenbach: successful use of leeches in plastic surgery in the 1820s, 245
Scerri, G.V., jt.author. *See* McErlain, M.J.
Schonauer, F., jt.author. *See* Molea, G.
Schwabegger, A.H., Herczeg, E. and Piza, H. The lateral thoracic fasciocutaneous island flap for treatment of recurrent hidradenitis axillaris suppurativa and other axillary skin defects, 676
Scott, R., jt.author. *See* Greer, S.E.
Senior, M.A., Southern, S.J., Nishikawa, H. and Chumas, P.D. The digital op note (correspondence), 633
Shakespeare, V. Breast-reduction surgery and obesity (correspondence), 172
Sharma, D. and Tiwari, V.K. Preputial flap to hand and forearm (correspondence), 635
Sharpe, D.T., jt.author. *See* Collis, N.
Shelley, O.P., Villafane, O. and Watson, S.B. Successful partial ear replantation after prolonged ischaemia time (case report), 76
Shelley, O.P., Watson, S.B. and Taggart, I. Successful free flap transfer following venous thrombectomy in recipient vessel (case report), 524
Shibu, M., jt.author. *See* Javaid, M.
Shibu, M.M., jt.author. *See* Beresford, T.
Shieh, S.-J., jt.author. *See* Lee.J.-W.
Shin, K.S., jt.author. *See* Chung, S.
Shinohara, H., jt.author. *See* Furuta, S.
Simango, S., Ramdial, P.K. and Madaree, A. Subpectoral post-traumatic lipoma (case report), 627
Simis, K.J., Koot, J.M., Verhulst, F.C., Hovius, S.E.R. and The Adolescence Plastic Surgical Research Group. Assessing adolescents and young adults for plastic surgical intervention: pre-surgical appearance ratings and appearance-related burdens as reported by adolescents and young adults, parents and surgeons, 593
Simmons, D.J. and Wharton, S.M. An unusual application of tissue expander (correspondence), 175
Simmons, D.J., Wharton, S.M. and Waters, R. Compartment syndrome complicating metastatic malignant melanoma (case report), 255
Skoll, P.J. and Hudson, D.A. Hands off! (correspondence), 635
Slade, D.E., jt.author. *See* Kelly, M.B.H.
Smith, M.J., jt.author. *See* Lim, J.K.
Smith, P.J., jt.author. *See* Jones, M.E.
Smith, R.J. The influence of the helium-neon laser irradiation on the viability of skin flaps in the rat (correspondence), 541
Soldin, M.G., Tolley, P., Kaplan, H., Hudson, D.A. and Grobbelaar, A.O. Chronic axillary hidradenitis—the efficacy of wide excision and flap coverage, 434
Solomon, A.S., jt.author. *See* Amir, A.
Sommerlad, B.C. and Mehendale, F.V. A modified gag for cleft palate repair (technical innovation), 63
Soutar, D.S., jt.author. *See* Haddadin, K.J.
Southern, S.J., jt.author. *See* Senior, M.A.
Squire, R.S., jt.author. *See* Garrido, A.
Srinivasan, J. Placement of sutures in tendon repair (correspondence), 81
Srinivasan, J.R., jt.author. *See* Gamatsi, I.E.
Srivastava, S. and Wharton, S. Use of Flamazine cream to reduce infection following skin grafting (correspondence), 452
Stamatopoulos, C.N., jt.author. *See* Lykoudis, E.G.
Steele, P.R.M., jt.author. *See* Hannah, H.
Stephenson, A.J., Griffiths, R.W. and La Hausse-Brown, T.P. Patterns of contraction in human full thickness skin grafts, 397
Sterne, G.D., Titley, O.G. and Christie, J.L. A qualitative histological assessment of various storage conditions on short term preservation of human split skin grafts, 331
Stewart, K.J., Telfer, S., Bown, K.J. and White, M.I. Cowpox infection: not yet consigned to history (case report), 348
Stewart, K.J., jt.author. *See* Jaramillo, M.J.
Stöhr, H.G., jt.author. *See* Nehrer-Tairych, G.V.
Stone, C.A. Unravelling the secrets of foetal wound healing: an insight into fracture repair in the mouse foetus and perspectives for clinical application, 337
Stone, C.A., Wright, H., Clarke, T., Powell, R. and Devaraj, V.S. Healing at skin donor graft donor sites dressed with chitosan, 601
Straalen, W.R. van, Trier, A.J.M. van and Groenevelt, F. Correction of the post-burn malpositioned nipple-areola complex by transposition of two subcutaneous pedicled flaps, 406
Street, L., jt.author. *See* Ghandour, M.
Suetake, T., Sasai, S., Zhen, Y.-X. and Tagami, H. Effects of silicone gel sheet on the stratum corneum hydration, 503
Suliman, M.T. A problem of identity following cleft lip repair (correspondence), 266
Suzuki, S., Kawai, K., Ashoori, F., Morimoto, N., Nishimura, Y. and Ikada, Y. Long-term follow-up study of artificial dermis composed of outer silicone layer and inner collagen sponge, 659

T

Taams, K.O., jt.author. *See* Mehendale, F.V.
Tagami, H., jt.author. *See* Suetake, T.
Taggart, I., jt.author. *See* Shelley, O.P.
Tajima, S., jt.author. *See* Tanaka, Y.
Takato, T., jt.author. *See* Yonehara, Y.
Tan, S.T., jt.author. *See* Tulley, P.
Tan, W.T.L., jt.author. *See* Baliarsing, A.
Tanaka, Y., Tsutsumi, A., Crowe, D.M., Tajima, S. and Morrison, W.A. Generation of an autologous tissue (matrix) flap by combining an arteriovenous shunt loop with artificial skin in rats: preliminary report, 51
Tandogdu, O., jt.author. *See* Çetin, C.
Telfer, S., jt.author. *See* Stewart, K.J.
Tezel, E., Numanoğlu, A., Bayramiçli, M. and Sav, A. Fat prefabrication using a fascial flap in the rat model, 155
Thatte, M.R., jt.author. *See* Nayak, B.B.
Thatte, R.L., jt.author. *See* Nayak, B.B.
Thomas, C. and Mishra, P. Open tip rhinoplasty along with the repair of cleft lip in cleft lip and palate cases, 1
Thompson, R.G., jt.author. *See* D'Urso, P.S.
Titley, O.G., jt.author. *See* Sterne, G.D.
Tiwari, V.K., jt.author. *See* Sharma, D.
To, E.W.H. and Pang, P.C.W. Forehead osteoid osteoma: excision via a new approach (correspondence), 711
To, E.W.H., Pang, P.C.W. and Chu, G.M. The use of modified rhytidectomy for parotidectomy (correspondence), 80
To, E.W.H., jt.author. *See* Wang, J.C.Y
Tolley, P., jt.author. *See* Soldin, M.G.
Tomak, Y., jt.author. *See* Eroğlu, L.
Tomlinson, F.H., jt.author. *See* D'Urso, P.S.
Trier, A.J.M.van, jt.author. *See* Straalen, W.R. van
Tsai, C.-C., Lin, T.-M., Lai, C.-S. and Lin, S.-D. Use of orbicularis oculi muscle flap for undercorrected blepharoptosis with previous frontalis suspension, 473
Tsai, M.-H., jt.author. *See* Wei, F.-C.
Tsang, R.K.Y., Mok, J.S.W., Poon, Y.S. and Hasselt, A. van. Acute renal failure in a healthy young adult after dextran 40 infusion for external-ear reattachment surgery (case report), 701
Tsoutos, D.A., jt.author. *See* Lykoudis, E.G.
Tsutsumi, A., jt.author. *See* Tanaka, Y.
Tucker, S.C. and Nancarrow, J.D. Objective assessment of post-traumatic nerve repairs and neuromas, 694
Tulley, P., Webb, A., Chana, J.S., Tan, S.T., Hudson, D., Grobbelaar, A.O. and Harrison, D.H. Paralysis of the marginal mandibular branch of the facial nerve: treatment options, 378
Tung, T.C., jt.author. *See* Chen, C.T.
Turner, D.P.J., jt.author. *See* Bhatty, M.A.

U

Ultee, J., jt.author. *See* Werff, J.F.A. van der
Uppal, R.S. and Moss, A.L.H. Aplasia cutis congenita associated with a lipoma (case report), 350
Urbain, F.C., jt.author. *See* Vandeweyer, E.
Urushibara, K., jt.author. *See* Koshima, I.
Uysal, O.A., jt.author. *See* Eroğlu, L.
Uysal, O.A., jt.author. *See* Güneren, E.

V

Vadodaria, S., Goodacre, T.E.E. and Anslow, P. Does MRI contribute to the investigation of palatal function?, 191
Vadodaria, S. and Page, R.E. Simple, safe and effective dressing immobilisation of the hand in children (correspondence), 451
van der Werff, J.F.A. *See* Werff, J.F.A. van der
van Hasselt, A., jt.author. *See* Tsang, R.K.Y.
van Straalen, W.R. *See* Straalen, W.R. van
van Trier, A.J.M., jt.author. *See* Straalen, W.R. van
Vandeweyer, E., Urbain, F.C. and DeMey, A. Facio-genito-popliteal syndrome presenting with bilateral choanal atresia and maxillary hypoplasia (case report), 65
Vanstralen, P., jt.author. *See* Niranjan, N.S.
Venkataswami, R. Developing a plastic surgery and hand surgery unit in India: a personal experience (McIndoe Lecture 1998), 89
Verhulst, F.C., jt.author. *See* Simis, K.J.
Villafane, O., jt.author. *See* Shelley, O.P.
Vossen, M. and Hage, J.J. Syringe needle and thread: a cheap alternative for swaged sutures (correspondence), 712

W

Walker, M.S., jt.author. *See* Oliver, D.W.
Walters, A.E., jt.author. *See* Oliver, D.W.
Wang, J.-Y., jt.author. *See* Wei, F.-C.
Wang, J.C.Y. and To, E.W.H. Application of dermal substitute (Integra) to donor site defect of forehead flap (case report), 70
Ward, C.M. Informed consent in theory and practice: the new undergraduate curriculum (editorial), 181
Wartburg, U. von , jt.author. *See* Fritsche, E.
Waters, R., jt.author. *See* Simmons, D.J.
Watersouse, N., jt.author. *See* Kelly, M.B.H.
Watson, S., jt.author. *See* Kumar, P.
Watson, S.B., jt.author. *See* Shelley, O.P.
Webb, A., jt.author. *See* Tulley, P.
Webster, M.H.C., jt.author. *See* Futter, C.M.
Webster, M.H.C., jt.author. *See* Haddadin, K.J.
Wei, F.-C., Carver, N., Chen, H.-C., Tsai, M.-H. and Wang, J.-Y. Free colon transfer for pharyngo-oesophageal reconstruction, 12
Wei, F.-C., jt.author. *See* Demirkan, F.
Wei, F.C., jt.author. *See* Lutz, B.S.
Weinberg, A., jt.author. *See* Ad-El, D.D.
Werff, J.F.A. van der and Ultee, J. Long-term follow-up of hypospadias repair, 588
Westreich, M. Assessing female breast morphometry and clinical applications (correspondence), 358
Wharton, S., jt.author. *See* Srivastava, S.
Wharton, S.M., jt.author. *See* Simmons, D.J.
White, M.I., jt.author. *See* Stewart, K.J.
Williams, N.W., Kelly, C. and McLean, N.R. Trans-osseous passage of head and neck brachytherapy tubes (case report), 520
Wilson, G.D., jt.author. *See* Chana, J.S.
Wilson, G.D., jt.author. *See* Milroy, C.J.
Wilson, Y., jt.author. *See* Fitzgerald, A.M.
Withey, S., jt.author. *See* Jones, M.E.
Wright, H., jt.author. *See* Stone, C.A.
Wu, W., Xu, J., Yan, S. and He, B. Correction of severe congenital epicanthus using the modified square-flap method, 667

X

Xu, J., jt.author. *See* Wu, W.

Y

Yamada, A., jt.author. *See* Yonehara, Y.
Yan, S., jt.author. *See* Wu, W.
Yang, J.W. and Lee, D.C. Reconstruction of pulp defect using a free finger-pulp flap from an excised extra digit (case report), 703
Yang, J.-Y. and Yang, W.-G. Large scalp and skull defect in aplasia cutis congenita (case report), 619
Yang, W.-G., jt.author. *See* Yang, J.-Y.
Yano, K. and Matsuo, Y. Combined latissimus dorsi musculocutaneous flap and free superior gluteal artery skin flap (case report), 529
Yavuzer, R., jt.author. *See* Jackson, I.T.
Yokoyama, K., Nakamura, K., Saita, Y. and Itoman, M. Time course of superoxide anion radicals generation in two ischaemia—reperfusion models: comparison between hindlimb replant model and isolated rectus femoris muscle model, 516
Yonehara, Y., Nakatsuka, T., Ichioka, I., Takato, T., Matsumoto, S. and Yamada, A. Intramuscular haemangioma of the anterior chest wall (case report), 257
Yoo, W.M., jt.author. *See* Chung, S.
Yu, J.-C., jt.author. *See* Lee.J.-W.
Yuzuriha, S., Matsuo, K. and Kushima, H. An anatomical structure which results in puffiness of the upper eyelid and a narrow palpebral fissure in the Mongoloid eye, 366

Z

Zhang, F., jt.author. *See* Chen, S.-G.
Zhang, F., jt.author. *See* Kryger, Z.
Zhen, Y.-X, jt.author. *See* Suetake, T.

British Journal of Plastic Surgery (2000), **53**, 725–730
© 2000 The British Association of Plastic Surgeons

BRITISH JOURNAL OF PLASTIC SURGERY

Subject Index

doi:10.1054/bjps.2000.3499

A

Abdominal muscle strength following breast reconstruction with a free TRAM or DIEP flap, 578
Achilles tendon, reconstruction using antero-lateral thigh free flap, 574
Acromiotrapezius osteomuscular flap, free microvascular transfer, 612
ADCON-T/N glycosaminoglycan gel in revision of tethered scars, 403
Adolescents, assessment for plastic surgery intervention, 593
Amputation stump, choice of donor site for skin grafts (correspondence), 357
Anaesthesia, local, dispersal of radioisotope labelled solution following deep dermal injection, 308
Anastomosis *see* Microvascular anastomosis
Angiosarcoma of breast after quadrantectomy and postoperative radiotherapy for carcinoma (case report), 622
Anus: reconstruction of perianal skin defect using V–Y advancement of bilateral gluteus maximus musculocutaneous flaps (correspondence), 542
Aplasia cutis congenita
  basal cell carcinoma in (case report), 351
  large scalp and skull defect (case report), 619
  lipoma and (case report), 350
Areola: nipple and areolar sensation after breast reduction by free nipple graft and inferior pedicle techniques, 126
Arm, lateral flap with skin paddle extending over elbow, donor site morbidity, 215
Arteriovenous shunt loop combined with artificial skin in generation of autologous tissue flap, 51
Assessment
  disfigurement (correspondence), 84
  plastic surgery, knowledge of relaxed skin tension lines as model, 243
Audit
  coding of plastic surgery operations using OPCS-4, 420
  incomplete excision of basal cell carcinoma, 563
Axillary apocrine glands, ultrasonic surgical aspiration with endoscopic confirmation for osmidrosis, 212
Axillary hidradenitis
  chronic, efficacy of wide excision and flap coverage, 434
  treatment of recurrent hidradenitis and other axillar skin defects with lateral thoracic fasciocutaneous island flap, 676

B

Basal cell carcinoma
  in aplasia cutis congenita (case report), 351
  carbon dioxide laser ablation, 286
  incomplete excision (correspondence), 452
    retrospective clinical audit of incidence, 563
  young people, 393
Biomechanics
  biomechanical properties of thin skin flap after basic fibroblast growth factor administration, 225
  study of quantitative benefits of acute tissue expansion, 220
Biomodelling: customised cranioplasty using stereolithography and acrylic, 200
Blepharoptosis: orbicularis oculi muscle flap for undercorrected blepharoptosis with previous frontalis suspension, 473
Brachytherapy, head and neck, trans-osseous passage of tubes (case report), 520
Breast
  angiosarcoma after quadrantectomy and postoperative radiotherapy for carcinoma (case report), 622
  giant tumour, application of reduction mammaplasty (correspondence), 265
  gynaecomastia, surgical excision (correspondence), 174
  morphometry, assessment method and its clinical applications (correspondence), 358
  post-burn malposition of nipple-areola complex, correction by transposition of two subcutaneous pedicled flaps, 406
Breast augmentation, long-term outcome in male-to-female transsexuals, 209
Breast implants
  MRI diagnosis of Trilucent breast implant rupture (case report), 251
  silicone, anti-silicone antibodies and, 410
  Trilucent™ (soyabean oil-filled)
    adverse incident reporting to Medical Devices Agency: review of reports, 313
    local tissue reactions to implant bleed, 317
    patient satisfaction, 479
Breast reconstruction
  abdominal muscle strength following reconstruction with free TRAM or DIEP flap, 578
  pyoderma gangrenosum following (case report), 441
  tissue expansion, retrospective technical review of two-stage delayed reconstructions, 37
Breast reduction
  application of reduction mammaplasty in treatment of giant breast tumour (correspondence), 265
  consent for, review of information retained by patients, 121
  nipple and areolar sensation after reduction by free nipple graft and inferior pedicle techniques, 126
  obesity and (correspondence), 172
  outcome
    objective measure (correspondence), 539
    patient's perspective, 584
  pyoderma gangrenosum in (case report), 440
Bromhidrosis *see* Osmidrosis
Burns
  artificial skin (Integra) in treatment of post-burn contractures, 652
  malposition of nipple-areola complex following, correction by transposition of two subcutaneous pedicled flaps, 406
  scars, malignant melanoma in (case report), 342
  split skin graft fixation for multiple small wound areas using tissue glue and staples (correspondence), 172

C

Calciphylaxis (case report), 253
Cameras, digital (correspondence), 633
Cartilage
  diced cartilage grafts in preplanned correction of enophthalmos, 17
  remodelling, fracture repair in mouse foetus, 337
  suture technique (correspondence), 632
Cartilage grafts for closure of cleft palate fistulae, 551
Cheek retractors, intraoperative use (correspondence), 635
Chest wall, anterior, intramuscular haemangioma (case report), 257
Chistosan, evaluation as dressing material for skin graft donor sites, 601
Chitin sheet plus gangliosides, effects in hypoglossal nerve regeneration, 607
Choanal atresia, along with maxillary hypoplasia, facio–genito–popliteal syndrome (case report), 65
Cleft lip repair
  concurrent open tip rhinoplasty in cleft lip and palate cases, 1
  problem of identity following (correspondence), 266
Cleft lip and palate
  antenatal diagnosis, impact on effectiveness and timing of counselling, 298
  left or right hand dominance in, 477
  neonatal palatal cysts and their morphology, 555
  open tip rhinoplasty along with cleft lip repair, 1

Cleft palate
cartilage grafs for fistula closure, 551
magnetic resonance imaging of palatal function, 191
repair, modified gag for (technical innovation), 63
submucous, palatal cysts in, 555
Cleft repairs, rural Uganda, 7
Coding of plastic surgery operations using OPCS-4, audit of, 420
Colon, transverse, free transfer for pharyngo–oesophageal reconstruction, 122
Compartment syndrome
complicating metastatic malignant melanoma (case report), 255
long-term sequelae of fasciotomy wounds, 690
Consent *see* Informed consent
Contractures, neck, artificial skin (Integra) in treatment of post-burn contractures, 652
Counselling, antenatal, cleft lip and palate, 298
Cowpox infection (case report), 348
Craniofacial contour refinement, use of hydroxyapatite cement, 24
Craniofacial surgery
anterior skull base tumours, 184
occipital plagiocephaly, 367
Cranioplasty, customised implants using stereolithography and acrylic, 200
Cross-finger flaps
'jumping' flaps in mutilating injuries, 488
monodigital double (correspondence), 266
Cross-leg free flap, use of photoplethysmography to monitor training prior to division (case report), 532
Curriculum, undergraduate (editorial), 181

D

Dermis, artificial *see* Skin, artificial
Dextran 40, acute renal failure after infusion for ear-reattachment surgery (case report), 701
Dieffenbach, Johann Friedrich: use of leeches, 245, 632 (correspondence)
Digital note making (correspondence), 633
Disfigurement, quantification (correspondence), 84
Distraction callotasis, use of islanded fasciocutaneous flap in lower limb following (case report), 705
Dorsalis pedis flap with toe web combined with submental island flap, reconstruction of lip with oral commissure (case report), 616
Dressings *see* Wound dressings
Drooling, bilateral repositioning of Stensen's duct orifices with autologous vein and artery grafts, 106

E

Ear
endoscopic-assisted otoplasty (correspondence), 541
reattachment, acute renal failure after dextran 40 infusion, 701
successful partial replantation after prolonged ischaemia time (case report), 76
Education
new undergraduate curriculum (editorial), 181
see also Training
Edwards, Gerald Ernest, obituary, 448
Ehlers–Danlos syndrome, dispersal of radioisotope labelled solution following deep dermal injection, 308
Elliptical incision, staggered (point of technique), 240
Emla cream, hyperpigmentation following use (correspondence), 711
Endoscope
application in zygomatic fracture repair, 100
otoplasty (correspondence), 541
Enophthalmos, preplanned correction using diced cartilage grafts, 17
Epicanthal fold, correction using VM-plasty, 95
Epicanthus, severe congenital, correction using modified square-flap method, 667
Epidermoid cysts, sprouting (case report), 534
Epigastric flaps
deep inferior, breast reconstruction, abdominal muscle strength following, 578
deep inferior perforator, anatomical features of perforator blood vessels, 205
Epstein's pearls in cleft lip and palate, 555
Evidence-based plastic surgery, problems of, 427
Eye
Mongoloid, puffiness of upper eyelid and narrow palpebral fissure, 466
severe congenital epicanthus, correction using modified square-flap method, 667
Eyelids
orbicularis oculi muscle flap for undercorrected blepharoptosis with previous frontalis suspension, 473
puffiness of upper eyelid and narrow palpebral fissure in Mongoloid eye, 466

F

Face
disfigurement, psychological difficulties following surgery, 386
impaling on scythe (correspondence), 267
low-flow venous malformation, treatment with fibrin glue (case report), 73
see also Craniofacial ...
Face lift, nodular fasciitis presenting as parotid tumour (case report), 345
Facial nerve paralysis
influence of donor nerve on function and morphology of a mimic muscle after cross innervation, 669
of marginal mandibular branch: treatment options, 378
Facio–genito–popliteal syndrome presenting with bilateral choanal atresia and maxillary hypoplasia (case report), 65
Fascial flaps, fat prefabrication, 155
Fasciitis, nodular, presenting as parotid tumour after face lifting (case report), 345
Fasciocutaneous flaps
lateral thoracic, recurrent hidradenitis axillaris suppurativa and other axillary skin defects, 676
lower limb
large transverse leg flap (whole leg flap), 495
pyoderma gangrenosum in (case report), 437
use of islanded flap following distraction callotasis (case report), 705
Fasciotomy wounds, long-term sequelae, 690
Fat prefabrication using fascial flap, 155
Feet *see* Foot
Fetus, fracture healing in mouse, 337
Fibrin glue, treatment of facial low-flow venous malformation (case report), 73
Fibroblast growth factor, basic, effects on biomechanical properties of thin skin flaps, 225
Fibula flap, medial malleolar fracture of donor leg (case report), 166
Fingers
'jumping' cross finger flaps in mutilating hand injuries, 488
monodigital double cross finger flaps (correspondence), 266
pulp defect reconstruction using free finger-pulp flap from excised digit (case report), 703
ring constriction syndrome (correspondence), 633
ring removal from swollen finger (correspondence), 173
second toe to index finger transfer, 324
Fistulae
cleft palate, cartilage grafts for, 551
lymphocutaneous, groin, subatmospheric pressure dressing therapy, 484
Flamazine cream, reduction of infection following skin grafting (correspondence), 452
Foetus, fracture healing in mouse, 337
Foot
mirror, Laurin–Sandrow syndrome (case report), 688
plantar defect, extended V–Y flap (case report), 708
Forearm
impalement with barbed salmon fork: near miss for median nerve (case report), 353
preputial flaps (correspondence), 635
ulnar artery flap, discovery of supernumerary muscle belly during elevation (correspondence), 82

Forehead, osteoid osteoma excision (correspondence), 711
Forehead flaps
donor site defect, application of dermal substitute (Integra) (case report), 70
nasal reconstruction with expanded dual flap (case report), 261
Fork, barbed salmon, forearm impalement (case report), 353
Fracture repair, mouse fetus, 337
Free flaps
antero-lateral thigh, reconstruction of Achilles tendon and overlying soft tissue, 574
colon, pharyngo–oesophageal reconstruction, 12
cross-leg, use of photoplethysmography to monitor training prior to division (case report), 532
finger-pulp, reconstruction of pulp defect (case report), 703
latissimus dorsi muscle, systemic lupus erythematosus patient (case report), 77
muscle, innervation of skin grafts over, 130
successful transfer following venous thrombectomy in recipient vessel (case report), 524
TRAM, breast reconstruction, abdominal muscle strength following, 578
transfer and salvage in sickle cell trait (case report), 707
Free grafts, jejunal, vaginal agenesis, 319

G

Gangliosides, with chitin sheet, effects in hypoglossal nerve regeneration, 607
Gluteal artery, superior, free skin flap combined with latissimus dorsi musculocutaneous flap (case report), 529
Gluteus maximus musculocutaneous flaps, bilateral, V–Y advancement in reconstruction of perianal skin defect (correspondence), 542
Glycomer 631, comparative study, 137
Glycosaminoglycan gel in revision of tethered scars, 403
Gynaecomastia, surgical excision (correspondence), 174

H

Haemangioma
cutaneous capillary, laser treatment, 302
intramuscular, anterior chest wall (case report), 257
Hand
dorsum, application of rotation flap, 491
immobilisation in children, dressing for (correspondence), 451
Mycobacterium marinum infection, 155
preputial flaps (correspondence), 635
splinting, use of lead template (correspondence), 450
see also Fingers
Hand surgery: development of plastic surgery and hand surgery unit in India (McIndoe Lecture), 89
Handedness, children with cleft lip and palate, 477
Head and neck
brachytherapy, trans-osseous passage of tubes (case report), 520
reconstruction, anterolateral thigh flap, 30
Healing *see* Wound healing
Hernia, giant inguinoscrotal, repair (case report), 525
Hidradenitis, axillary *see* Axillary hidradenitis
History: Johann Friedrich Dieffenbach, successful use of leeches, 245, 632 (correspondence)
Hormone replacement therapy, malignant melanoma and (correspondence), 539
Hydroxyapatite cement, craniofacial skeletal contour refinement, 24
Hyperpigmentation
after laser therapy, ultraviolet radiation exposure and (case report), 259
following use of Emla cream (correspondence), 711
Hypoglossal nerve regeneration, enhancement with chitin sheet plus gangiosides, 607
Hypospadias repair, long-term follow-up, 588

I

Implants
breast *see* Breast implants
customised cranioplastic, using stereolithography and acrylic, 200
India, development of plastic surgery and hand surgery unit (McIndoe Lecture), 89
Infection, skin grafting, reduction by use of flamazine cream (correspondence), 452
Informed consent 540 (correspondence)
educational approach in new undergraduate curriculum (editorial), 181
reduction mammaplasty, review of information retained by patients, 121
Inguioscrotal hernia, giant, repair (case report), 525
Innervation, skin grafts over free muscle flaps, 130
Integra™ *see under* Skin, artificial
Internet as resource for evidence-based plastic surgery, 427
Intraoral surgery, use of Kilner cheek retractors (correspondence), 635
Ischaemia–reperfusion models, time course of superoxide anion radical generation, 516
Island flaps
homodigital reverse pedicle, reconstruction of great toe, 499
lateral thoracic fasciocutaneous, treatment of recurrent hidradenitis axillaris suppurativa and other axillary skin defects, 676

J

Jejunal grafts, free, vaginal agenesis, 319

K

Kay Kilner Prize Essay, 1999: Plastic surgery in the new millennium, 271
Keloid
technique to avoid atrophy in combined intralesional excision and steroid injection (correspondence), 174
treatment with silicone gel sheets, 503
Keratinocytes, dermal–epidermal skin equivalents of, in artificial skin, 459

L

Lasers
carbon dioxide, ablation of basal cell carcinomas, 286
influence of helium–neon laser irradiation on viability of skin flaps, 58, 541 (correspondence))
post laser hyperpigmentation and occupational ultraviolet radiation exposure (case report), 259
three dimensional assessment of the Oriental nose, 109
tunable dye, treatment of early cutaneous capillar haemangiomata, 302
Laterality, children with cleft lip and palate, 477
Latissimus dorsi muscle
free flap
successful transfer following venous thrombectomy in recipient vessel (case report), 524
systemic lupus erythematosus patient (case report), 77
musculocutaneous flap combined with free superior gluteal artery skin flap (case report), 529
pedicled flap for breast reconstruction, pyoderma gangrenosum following (case report), 441
Laurin–Sandrow syndrome (case report), 688
Leeches, use by Dieffenbach, 245, 632 (correspondence)
Leg
large transverse fasciocutaneous flap (whole leg flap), 495
medial malleolar fracture of fibula flap donor leg (case report), 166
use of photoplethysmography to monitor training of cross-leg free flap prior to division (case report), 532
Leishmaniasis, cutaneous (case report), 443
Limbs, lower *see* Lower limb

Lip
cleft *see* Cleft lip; Cleft lip and palate
defect including oral commissure, combined submental flap with toe web (case report), 616
Lipoma
aplasia cutis congenita and (case report), 350
subpectoral post-traumatic (case report), 627
Lipomatosis of parotid gland in child (case report), 699
Lower limb
defects, reconstruction using fascial feeder and perforator-based V–Y advancement flaps, 679
fasciocutaneous flap
islanded, following distraction callotasis (case report), 705
large transverse (whole leg flap), 495
pyoderma gangrenosum in (case report), 437
injury
free flap transfer following venous thrombectomy in recipient vessel (case report), 524
use of photoplethysmography to monitor training of cross-leg free flap prior to division (case report), 532
Lymph nodes, sentinel *see* Sentinel lymph nodes
Lymphocutaneous fistulas of groin, subatmospheric pressure dressing therapy, 484

M

Macroglossia, reduction technique, 294
Magnetic resonance imaging (MRI)
diagnosis of Trilucent breast implant rupture (case report), 251
investigation of palatal function, 191
Malignant melanoma, metastatic, compartment syndrome and (case report), 255
Mammaplasty
augmentation, long-term outcome in male-to-female transsexuals, 209
reduction *see* Breast reduction
Maxilla, hypoplasia along with bilateral choanal atresia in facio–genito–popliteal syndrome (case report), 65
Maxillofacial surgery, intraoral, use of Kilner cheek retractors (correspondence), 635
Median nerve, near transection by barbed salmon fork (case report), 353
Melanoma
acral lentiginous, *p16* tumour suppressor gene expression, 46
malignant
aberrant sentinel nodes in, 415
hormone replacement therapy and (correspondence), 539
sentinal lymph node biopsy, 559
in skin graft (case report), 342
tattoo pigment mimicking (correspondence), 359
Meningococcal septicaemia, plastic surgical management, 142, 540 (correspondence)
Metacarpophalangeal joint, thumb, simultaneous avulsion fracture of insertion of ulnar and radial collateral ligaments (case report), 168
Microvascular anastomosis
end-to-side, using external metal ring, 423
immunohistochemical evaluation of failed anastomoses, 567
Microvascular surgery, free transfer of acromiotrapezius osteomuscular flap, 612
Miller, Robert William Stewart, obituary, 171
Mongoloid eye, puffiness of upper eyelid and narrow palpebral fissure, 466
Mouth gag, modified, cleft palate repair (technical innovation), 63
Muscle flaps
free, innervation of skin grafts over, 130
latissimus dorsi
combined with free superior gluteal artery skin flap (case report), 529
systemic lupus erythematosus patient (case report), 77
Musculocutaneous flaps
anterolateral thigh flap in head and neck reconstruction, 30
gluteus maximus, V–Y advancement in reconstruction of perianal skin defect (correspondence), 542
Mycobacterium marinum hand infection, 155

N

Naevus, strawberry, laser treatment, 302
Nasal splint, self-retaining (correspondence), 450
Nasoseptal perforations, management (review), 117
Neck
contractures: artificial skin (Integra) in treatment of post-burn contractures, 652
see also Head and neck
Nerve regeneration
effect of end-to-side neurorrhaphy, 149
enhancement with chitin sheet plus gangliosides, 607
Nerve repairs, post-traumatic, objective assessment, 694
Neuromas, post-traumatic, objective assessment, 694
Neurorrhaphy, end-to-side (correspondence), 633
selection of donor nerves, 149
Nipple and areolar sensation after breast reduction by free nipple graft and inferior pedicle techniques, 126
Nipple-areola complex, post-burn malposition, correction by transposition of two subcutaneous pedicled flaps, 406
Nose
classification of Oriental types, three dimensional laser scan assessment, 109
reconstruction
expanded dual forehead flap (case report), 261
full thickness skin graft, following excision for phenytoin induced rhinophyma (case report), 261
splint, self-retaining (correspondence), 450
V–Y advancement–turnover flap for simultaneous perialar and alar reconstruction, 248
Note making, digital (correspondence), 632

O

Obesity, breast reduction surgery and (correspondence), 172
Obituaries
Edwards, Gerald Ernest, 448
Miller, Robert William Stewart, 171
Ratcliffe, Robert James, 355
Occipital plagiocephaly, 367
Orbicularis oculi muscle flap, undercorrected blepharoptosis with previous frontalis suspension, 473
Orbit, blow-out fractures, use of diced cartilage grafts, 17
Osmidrosis, ultrasonic surgical aspiration with endoscopic confirmation, 212
Osteoid osteoma, forehead, excision (correspondence), 711
Osteomuscular flap, acromiotrapezius, free microvascular transfer, 612
Otoplasty, endoscopic-assisted (correspondence), 541

P

p16 tumour suppressor gene expression, acral lentiginous melanoma, 46
Palatal cysts in cleft lip and palate, 555
Palate, cleft *see* Cleft lip and palate; Cleft palate
Parotid gland
lipomatosis in child (case report), 699
nodular fasciitis presenting as parotid tumour after face lifting (case report), 345
repositioning of Stensen's duct orifices with autologous vein and artery grafts, 106
Parotidectomy, use of modified rhytidectomy for (correspondence), 80
Patients, reduction mammaplasty
perspective on outcome, 584
retention of information following consent, 121
Pharyngo–oesophageal reconstruction, free colon transfer for, 122
Photoplethysmography, monitoring of training of cross-leg free flap prior to division (case report), 532
Plagiocephaly, occipital, 367
Plantar defects, extended V–Y flap (case report), 708
Plastic surgery
assessment of adolescents and young adults for, 593
coding of operations using OPCS-4, 420

evidence-based, 427
in new millenium (Kay Kilner Prize Essay 1999), 271
United Kingdom, role of overseas doctors (correspondence), 265
Poliglecaprone 25, comparative study, 137
Polydioxanone, comparative study, 137
Prefabrication of flaps
axial bio-synthetic flap for circumferential tracheal defect reconstruction, 508
tissue flap generation by combining arteriovenous shunt loop with artificial skin, 51
Preputial flap to hand and forearm (correspondence), 635
Psychological studies
assessment of adolescents and young adults for plastic surgery intervention, 593
difficulties following surgery to face, 386
Pyoderma gangrenosum
bilateral mammaplasty (case report), 440
following breast reconstruction (case report), 441
lower limb fasciocutaneous flap (case report), 437

Q

Quantification of disfigurement (correspondence), 84

R

Radial artery, rare variant and clinical considerations in raising radial forearm flap (case report), 445
Radicals, superoxide, time course of generation in ischaemia–reperfusion models, 5166
Random pattern flap survival, effects of vascular endothelial growth factor, 234
Ratcliffe, Robert James, obituary, 355
Records, medical, using of digital technology (correspondence), 633
Relaxed skin tension lines, knowledge of, as model for assessment in plastic surgery, 243
Renal failure, acute, after dextran 40 infusion for ear-reattachment surgery (case report), 701
Reverse pedicle island flap, homodigital, reconstruction of great toe, 499
Rhinophyma, phenytoin-induced, treatment by excision and full thickness skin grafting (case report), 521
Rhinoplasty, open tip, along with cleft lip repair in cleft lip and palate cases, 1
Rhytidectomy, modified, use for parotidectomy (correspondence), 80
Ring, removal from swollen finger (correspondence), 173
Ring constriction syndrome (correspondence), 633
Rodent ulcer *see* Basal cell carcinoma
Rotation flap, application to dorsum of hand, 491

S

Saline, normal, wound dressings, 42
Salivary glands
sialoblastoma (case report), 697
see also Parotid gland
Saphenous vein, long, microneurovascular study and implications for survival of venous flaps, 230
Scalp
scalp and skull defect in aplasia cutis congenita (case report), 80
swelling, endometrioid carcinoma of prostate and (correspondence), 80
Scars
hypertrophic
treatment with silicone gel sheets, 503
treatment using artificial skin (Integra), 652
keloid *see* Keloid
use of ADCON-T/N glycosaminoglycan gel in revision of tethered scars, 403
Sensory innervation of skin grafts over free muscle flaps, 130
Sentinal lymph nodes, malignant melanoma
aberrant, 415
biopsy, 559
Septicaemia, meningococcal, plastic surgical management, 142, 540 (correspondence)
Sialoblastoma (case report), 697
Sialorrhea, bilateral repositioning of Stensen's duct orifices with autologous vein and artery grafts, 106
Sickle cell trait, free flap transfer and salvage, 707
Silicone breast implants, anti-silicone antibodies and, 410
Silicone gel sheet, effects on stratum corneum hydration, 503
Skin
artificial
application of Integra to donor site defect of forehead flap (case report), 70
bilayer, composed of outer silicone layer and inner collagen sponge, 659
combined with arteriovenous shunt loop for generation of autologous tissue flaps, 51
dermal–epidermal skin equivalents of keratinocytes in Integraa™ artificial skin, 459
Integra™ treatment of post-burn anterior cervical neck contracture, 652
ischaemic necrosis and ulceration, calciphylaxis and (case report), 253
necrosis, warfarin and (case report), 624
Skin flaps
acutely expanded, quantitative benefits of acute tissue expansion: biomechanical study, 220
effect of basic fibroblast growth factor on biomechanical properties of thin flap, 225
free superior gluteal artery, combined with latissimus dorsi musculocutaneous flap (case report), 529
influence of helium–neon laser irradiation on viability, 58, 540 (correspondence))
preputial, to hand and forearm (correspondence), 635
Skin grafts
amputation stump: choice of donor site (correspondence), 357
contraction patterns in full thickness grafts, 397
donor sites
effect of use of artificial dermis, 659
evaluation of chitosan as dressing material, 601
use of 'retention' dressings (correspondence), 83
fixation of split skin grafts for multiple small wound areas using tissue glue and staples (correspondence), 172
histological assessment of storage conditions on short term preservation of split skin grafts, 329
innervation of grafts over free muscle flaps, 130
keratinocyte viability, effects of saline and plasma, 418
malignant melanoma in (case report), 342
nasal reconstruction following excision for phenytoin-induced rhinophyma (case report), 521
split thickness, and artificial dermis composed of outer silicone layer and inner collagen sponge, 659
use of Flamazine cream to reduce infection (correspondence), 452
Skull
custom cranioplasty using stereolithography and acrylic, 200
scalp and skull defect in aplasia cutis congenita (case report), 80
Skull base, anterior, tumours, 184
Snake bite, fang from (correspondence), 176, 451
Splints/Splinting
hand, use of lead template (case report), 450
nasal, self-retaining (correspondence), 450
Squamous cell carcinoma, tongue, natural history and patterns of recurrence, 279
Square-flap method, modified, correction of severe congenital epicanthus, 667
Stensen's duct repositioning, with autologous vein or artery graft, 106
Stereolithography, customised cranioplasty, 200
Stratum corneum hydration, effects of silicone gel sheet, 503
Submental island flap combined with dorsalis pedis flap with toe web, reconstruction of lip with oral commissure (case report), 616
Superoxide radicals, time course of generation in ischaemia–reperfusion models, 516
Suture materials, comparative study on biocompatibility and absorption times of three absorbable monofilament materials, 137

Sutures
cartilage, technique for (correspondence), 632
placement in tendon repairs (correspondence), 81, 172
swaged, syringe needle and thread for (correspondence), 712
Syndactyly
dressing for immobilisation of hand following release of syndactyly in children (correspondence), 451
Laurin–Sandrow syndrome (case report), 688
Systemic lupus erythematosus (SLE), free tissue transfer in (case report), 77

T

Tape, self-adhesive, problem of re-coiling: a solution (correspondence), 635
Tattoo pigment masquerading as secondary malignant melanoma (correspondence), 359
Tendon repair, suture placement (correspondence), 81, 172
Tension lines
antero-lateral free, reconstruction of Achilles tendon and overlying soft tissue, 574
relaxed skin *see* Relaxed skin tension lines
Thigh flaps, anterolateral, head and neck reconstruction, 30
Thoracic fasciocutaneous island flap, lateral, treatment of recurrent hidradenitis axillaris suppurativa and other axillary skin defects, 676
Thrombosis
failed vessel anastomoses in microsurgery, 567
peroperative discovery, successful free flap transfer following thrombectomy in recipient vessel (case report), 524
Thumb
metacarpophalangeal joint, simultaneous avulsion fracture of insertion of ulnar and radial collateral ligaments (case report), 168
turret exostosis (case report), 629
Tissue expanders, unusual application (correspondence), 175
Tissue expansion
delayed, breast reconstruction: retrospective technical review, 37
intraoperative, quantitative benefits, 220
Tissue flaps, prefabrication by combining arteriovenous shunt loop with artificial skin, 51
Toe
great, reconstruction using homodigital reverse pedicle island flap, 499
second, transfer to index finger, 324
Tongue
macroglossia reduction technique, 294
tumours, natural history and patterns of recurrence, 279
Trachea, circumferential defect reconstruction, prefabrication of axial bio-synthetic flap, 508
Training
plastic surgery, knowledge of relaxed skin tension lines as model for assessment, 243
see also Education
Transsexuals, male-to-female, long-term outcome of augmentation mammaplasty, 209
Transverse rectus abdominis musculocutaneous (TRAM) flaps, breast reconstruction, abdominal muscle strength following, 578
Tumour suppressor gene expression, *p16*, acral lentiginous melanoma, 46
Turnover flaps: V–Y advancement–turnover flap for simultaneous perialar and alar reconstruction, 248
Turret exostosis of thumb (case report), 629

U

Ulcers, rodent *see* Basal cell carcinoma
Ulnar artery, forearm flap elevation, supernumerary muscle belly in (correspondence), 82
Ultrasound, surgical aspiration of axillary apocrine glands, 212
Ultraviolet radiation exposure, post laser hyperpigmentation and (case report), 259
Uraemic gangrene syndrome (calciphylaxis) (case report), 253

V

V–Y advancement flaps
bilateral gluteus maximus musculocutaneous, reconstruction of perianal skin defect (correspondence), 542
fascial feeder and perforator-based, reconstruction of lower limb defects, 679
V–Y advancement–turnover flap, simultaneous perialar and alar reconstruction, 248
V–Y flaps, extended, mid-plantar defect (case report), 708
Vaginal agenesis, free jejunal autograft, 319
Vascular endothelial growth factor (VEGF), effects on survival of random flap, route of administration and, 234
Velopharyngeal function, magnetic resonance imaging, 191
Velopharyngeal incompetence (Sir Harold Gillies Memorial Lecture), 641
Venous flaps, survival, implications of microneurovascular anatomy of great saphenous vein, 230
Venous malformation, facial low-flow, treatment with fibrin glue (case report), 73
VM-plasty, correction of epicanthal fold, 95

W

Warfarin-induced skin necrosis (case report), 624
Wound dressings
evaluation of chitosan at skin graft donor sites, 601
normal saline, 42
'retention' dressings for partial thickness wounds (correspondence), 83
subatmospheric pressure dressing therapy to close lymphocutaneous fistulas of groin, 484
Wound healing, foetal: fracture repair in mouse foetus, 335

Z

Zygoma, fracture repair, application of endoscope, 100